## HEARING TEST BY TECHNICAL MEANS OF CONTROL IN PATIENTS WITH MULTIDRUG-RESISTANT TUBERCULOSIS LIGHT OVER BASIC COURSE OF CHEMOTHERAPY

V. I. Ignatieva, S. A. Cherenko, V. A. Svyatnenko, I. I. Gunaza, L. P. Lynnyk, G. O. Varytska

**Resume.** The paper presents data on hearing research with the help of technical means of control in patients with MDR TB in the lungs during the main course of chemotherapy. In 12 (60%) of 20 patients showed clinical and audiometric signs of acute sensorineural hearing loss. In 5 (25%) patients were diagnosed with bilateral evstaheit, which arose due to exacerbation of chronic vasomotor rhinitis in patients with severe asthenoneurotic syndrome and autonomic disorders. In 3 (15%) studied cochle-vestibular dysfunction occurs due to medical encephalopathy.

The studies proved that the widespread introduction of audiometric controls in TB practice will provide objective data on the prevalence of medication complications cochle — vestibular dysfunction among patients with MDR pulmonary tuberculosis, which occur during the main course of chemotherapy.

Key words: acute sensorineural hearing loss, engineering controls, multidrug-resistant tuberculosis lung, the main course of treatment for TB.